

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

I hereby certify that this correspondence is being deposited with the U.S. Postal Service as first class mail in an envelope addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on January 11, 2006.

Appl No.

: 09/729,443

Confirmation No. 6265

Applicant

: Steven Jaffe, et al.

Filed

: December 4, 2000

Title

: VITERBI SLICER FOR TURBO CODES

TC/A.U.

: 2631

Examiner

: Juan A. Torres

Docket No.

: 36928/B600

Customer No.: 23363

00020,20

DECLARATION UNDER 37 CFR §1.131

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Post Office Box 7068 Pasadena, CA 91109-7068

Commissioner:

We, Steven T. Jaffe, Kelly B. Cameron, and Christopher R. Jones, declare and state as follows:

- 1. We are joint inventors of the subject matter described and claimed in the above-identified application.
- 2. On or before July of 1999, we conceived the invention claimed in the above identified application. We then prepared a written description of the invention on or before September 22, 1999 and an invention disclosure describing exemplary embodiments of the invention on or before October 5, 1999. We presented the invention disclosure to our patent attorney, Mr.

Appln No. 09/729,443 Declaration under §1.131

- D. Bruce Prout of Christie, Parker & Hale, in a facsimile transmitted on October 11, 1999. A true and correct copy of the invention disclosure, with some of the handwritten markings redacted, is attached hereto as Exhibit A to this Declaration.
- 3. We worked diligently with our patent attorney to prepare a provisional patent application describing the subject matter set forth in the invention disclosure and claimed in the above identified patent application. Subsequently, on December 3, 1999, the provisional patent application was filed with the U.S. Patent and Trademark Office.
- 4. We declare that all statements made herein of our own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under § 1001 of Title 18 of the United States Code and such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Date: / // // (9	By:	Stalle
	_	Steven T. Jaffe
Date: 1/11/06	By:	Kelly B. Cameron
Date:	By:	
EC/ash	-	Christopher R. Jones

FS/cah

Attachments: Exhibit A

CAH PAS661273.1-*-01/11/06 12:37 PM



EXHIBIT A

ROADCOM CORPORATION

CONFIDENTIAL

Forward to:
Dee Henderson
Intellectual Property Coordinator
Ext. 5958

DOCKET 36189

Broadcom File No. BP1235

Date: 10/5/49

INVENTION DATA FORM		
Title of Invention Viter bi Sheer for	Turbo Codes	
Inventor(s) 5kwn Jafk		
21 Sugliant	Pull Name	
Residence Address Trying CA 92(1)	Residence Address	
15 7	City, State, Zip	
Citizenship	Citizenship	
Inventor(s) Kelly Cameron		
Inventor(s) Killy Campran Full Name 4171 BLACKFIN	Full Name	
Residence Address IRVINE (A 98000	Residence Address	
City, State, Zip	City, State, Zip	
Citizenship	Citizenship	
Inventor(s) Chris Jones		
12317 Full Name Texas Ave \$15	Full Name	
Los Anieles CA 90025	Residence Address	
Lity, State, Zip	City, State, Zip	
Citizenship	Citizenship	
Inventor(s) Alar Kwantus Full Name		
30601 Steeple chose Orive	Fuli Name	
Residence Address San Juan Capie trans CA 93675 City State Zin	Residence Address	
City, State, Zip	City, State, Zip	

Citizenship

Citizenship





Invention Data Form (cont'd)

CONFIDENTIAL

2.	Wh	en was the invention first conceived? 7/99
3.	(a)	When were first sketches, diagrams or drawings made? 7/99
		(Append copies.)
	(b)	Where are they?
	(c)	Drawing or Notebook Ref. Nos.
4.	(a)	When was first written description made? 9/32/99
	(b)	Where is it? A Hacked
5.	(a)	When was first explanation of invention made to others? $\frac{7/9c}{1}$
·	(b)	Where?
	(c)	To whom?
6.		When was model of invention first built? 9/99
•,	, (b)	Where? In Simulation @ Broadcom
7.	(a)	When was model of invention first tested or demonstrated?
	(b)	Where?
	(c)	Present location of model tested
	(d)	Who witnessed such test or demonstration?
8. printed	Has t	he invention been (a) publicly disclosed; (b) placed in commercial use; (c) offered for sale or sold; or (d) described in a stion?
lf"Yes	," desc	ribe the first occurrence of each of (a) through (d), respectively, and give dates, places and identification.
lf "no,"	are an	of (a) through (d) contemplated?
9.		fy known closely related publications, patents and patent applications and prior products.
	***************************************	The approximation and prior products,



Invention Data Form (cont'd)

CONFIDENTIAL

lignature of inventors(s)		
Well tomoran	Date	**************************************
TIMA.	Date 16/5/97	
We there		
là fr	Date 10/8/99	
	Date	
	Date	The second secon
	Date	**************************************
,	Date	

On the following Invention Disclosure Sheet(s) describe the various aspects of the invention according to the following instructions:

- Background: Describe the field to which invention relates, the most relevant prior art, and explain what is wrong with the prior art. Make sure to give adequate background information to enable the reader to clearly appreciate the problems that existed prior to your invention. Refer to and include relevant publications.
- 2. <u>Description of Invention</u>: Write a detailed description of the invention, referenced to sketches of the invention. If necessary, use additional sheets, and you may refer to separate drawings or photographs by number. The signature information at the bottom of this page must appear on each added sheet and on each separate drawing or photograph.
- 3. <u>Differences Over Prior Art</u> Identify significant differences over the prior art if possible.
- 4. Advantages: List and explain the advantages of the invention in the order of their importance.
- 5. Witness: Have two individuals, not inventors and co-inventors, read, understand, sign and date each Invention Disclosure Sheet.



Invention Data Form (cont'd)

CONFIDENTIAL

INVENTION DISCLOSURE SHEET

Title of Invention


	Sheet	of	-
		-	
Signature of Inventor	· .	I	Pate
Signature of Inventor	-		ate .
Signature of Inventor		Г	ate
Signature of Inventor		D	ats
_			
WITNESSED AND UNDERSPOOD:			
$(\Lambda)_{\Omega}$		1	ſ
14		10/57	199
Witness (Mot ler fuventur)	_	/_ D	áe .
Kon Hart	<u> </u>	10/5/	99
Witness (Not an Inventor)		Dz	de .


Parallel concatenated codes ("Turbo codes") allow communication systems to operate near the Shannon capacity. However, when operating in this region, the signal to noise ratio is very low. This low Es/No makes synchronization of the receiver difficult. The present invention helps to synchronize the receiver at this low Es/No. Receiver synchronization is often achieved via a decision directed approach. However, if the channel symbol error rate is greater than 1 in 10 (i.e., 1 out of 10 transmitted symbols is decoded incorrectly), decision directed loops can fail. "Turbo codes" operate in this region. The following invention shows how to improve this situation.

When using "turbo codes", the constituent codes are often trellis codes. Each of the constituent codes can be decoded with a conventional Viterbi decoder. (When using the iterative decoding procedure, the soft input/soft output decoding algorithm is used.).

If, instead of slicing the soft decisions at the decision point in the receiver, a sequence detector is used, decisions can be made with improved accuracy. A conventional decision directed carrier loop is shown in Figure 7x. The invention replaces the slicer with a Viterbi decoder. The improved receiver is shown in Figure xx. In the case of "turbo codes", where two of more trellis codes are concatenated together, multiple Viterbi decoders are needed, all operating in parallel. In order to avoid the large delay inherent in Viterbi decoding, a limited traceback depth can be used. (In fact, the traceback depth can be set to zero.) The Viterbi decoder works on the incoming soft decisions and produces the most likely channel symbol based on past data and (depending on traceback depth) future data.


Although shown for a decision directed carrier loop, the invention is also applicable to decision directed timing loops, and decision directed AGC loops. An extension of this invention can be used for decision feedback equalization. (DFE). To extend to DFE, instead of one channel symbol being decoded, a vector of the most likely channel symbols is produced based on the internal Viterbi metrics. This vector of channel symbols is loaded in parallel into the DFE. This process is repeated for each new symbol.





F16.82

Conventional Carrier Recovery



Improved Carrier Loop